

1           1.    A method comprising:  
2                establishing a plurality of sessions at a given  
3 packet data protocol address; and  
4                separately assessing charges for each of those  
5 sessions.

1           2.    The method of claim 1 including estimating the  
2 charges for all legs of mobile terminated calls.

1           3.    The method of claim 1 including providing a real  
2 time estimate of charges for each of those sessions.

1           4.    The method of claim 1 including using information  
2 from Advice of Charge supplementary services.

1           5.    The method of claim 1 including using quality of  
2 service parameters to supplement the estimate of costs for  
3 each session.

1           6.    The method of claim 1 including utilizing  
2 mobility management state information to estimate real time  
3 charges per session.

1           7.    An article comprising a medium storing  
2 instructions that enable a processor-based system to:

3           establish a plurality of communication sessions  
4   at a given packet data protocol address; and  
5           separately assess charges for each of those  
6   sessions.

1       8.   The article of claim 7 further storing  
2   instructions that enable the processor-based system to  
3   estimate the charges for all legs of mobile terminated  
4   calls.

1       9.   The article of claim 7 further storing  
2   instructions that enable the processor-based system to  
3   provide a real time estimate of charges for each of those  
4   sessions.

1       10.  The article of claim 7 further storing  
2   instructions that enable the processor-based system to  
3   use information from Advice of Charge supplementary  
4   services.

1       11.  The article of claim 7 further storing  
2   instructions that enable the processor-based system to  
3   use quality of service parameters to supplement the  
4   estimate of cost for each session.

1           12. The article of claim 7 further storing  
2 instructions that enable the processor-based system to  
3 utilize mobility management state information to estimate  
4 real time charges per session.

1           13. A wireless telephone comprising:  
2                 a processor; and  
3                 a storage storing instructions that enable the  
4 processor to establish a plurality of sessions at a given  
5 packet data protocol address and separately assess  
6 charges for each of said sessions.

1           14. The telephone of claim 13 wherein said software  
2 stores instructions enable the processor to estimate the  
3 charges for all legs of mobile terminated calls.

1           15. The telephone of claim 13 wherein said software  
2 storage stores instructions that enable the processor to  
3 provide a real time estimate of the charges for each  
4 session.

1           16. The telephone of claim 13 wherein said storage  
2 stores instructions that enable the processor to use  
3 information from the Advice of Charge supplementary  
4 services.

1           17. The telephone of claim 13 wherein said storage  
2 stores instructions that enable the processor to use  
3 quality of service parameters to supplement the estimate  
4 of cost for each session.

1        18. The telephone of claim 13 wherein said storage  
2 stores instructions that enable the processor to utilize  
3 mobility management state information to estimate real  
4 time charges per session.

1        19. The telephone of claim 13 wherein said  
2 telephone receives voice, data, and streaming video.

1        20. The telephone of claim 13 wherein said  
2 telephone is a third generation wireless telephone.

1        21. A method comprising:  
2            accessing mobility management information for  
3 call origination and call termination; and  
4            using the mobility management information to  
5 assess a charge for a telephonic communication.

1        22. The method of claim 21 including using the  
2 mobility management information to determine if a  
3 telephone call is a roaming or non-roaming call.

1        23. The method of claim 21 including determining a  
2 charge for a non-roaming leg when a call is mobile  
3 terminated.

1        24. An article comprising a medium storing  
2 instructions that enable a processor-based system to:  
3            access mobility management information for call  
4 origination and call termination; and  
5            use the mobility management information to  
6 assess a charge for a telephonic communication.

1           25. The article of claim 24 further storing  
2 instructions that enable the processor-based system to  
3 use the mobility management information to determine if a  
4 telephone call is a roaming or non-roaming call.

1           26. The article of claim 24 further storing  
2 instructions that enable the processor-based system to  
3 determine a charge for a non-roaming leg when the call is  
4 mobile terminated.

1           27. A wireless telephone comprising:  
2               a processor; and  
3               a storage storing instructions that enable the  
4 processor to access mobility management information for  
5 both call origination and call termination and use the  
6 mobility management information to assess a charge for a  
7 telephonic communication.

1           28. The system of claim 27 wherein said storage  
2 stores instructions that enable the processor to use the  
3 mobility management information to determine if a  
4 telephone call is a roaming or non-roaming call.

1           29. The system of claim 27 wherein said storage  
2 stores instructions that enable the processor to  
3 determine a charge for a non-roaming leg when a call is  
4 mobile terminated.

1           30. The system of claim 27 wherein said telephone  
2 is a third generation wireless telephone.